

SECTION 2. FORMS PTO/SB/08A and 08B (formerly Form PTO-1449)**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicants: Alexander et al. Attorney Docket: 3104/105
Serial No: 09/882,363 Art Group Unit: 3736
Date Filed: July 15, 2001 Examiner Name: Foreman, Jonathan
Invention: Assessing the Condition of a Joint and Preventing Damage

**LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT**

| U.S. PATENT DOCUMENTS | | | | | |
|-----------------------|------------------|-----------------|------------|--------------------|----------------|
| Examiner Initials | Reference Number | Document Number | Issue Date | Inventor | Class/Subclass |
| | VU | US 3,314,420 | 4/18/1967 | Smith et al. | 128/92 |
| | VV | US 3,605,123 | 9/20/1971 | Hahn | 3/1 |
| | VW | US 3,694,820 | 10/3/1972 | Scales et al | 3/1 |
| | VX | US 3,808,606 | 5/7/1974 | Tronzo | 3/1 |
| | VY | US 3,843,975 | 10/29/1974 | Tronzo | 3/1 |
| | VZ | US 3,852,830 | 12/10/1974 | Marmor | 3/1 |
| | WA | US 3,855,638 | 12/24/1974 | Pilliar | 3/1 |
| | WB | US 3,938,198 | 2/17/1976 | Kahn et al. | 3/1.912 |
| | WC | US 3,987,499 | 10/26/1976 | Scharbah et al. | 3/1.91 |
| | WD | US 3,991,425 | 11/16/1976 | Martin et al. | 3/1.91 |
| | WE | US 4,098,626 | 7/4/1978 | Graham et al. | 149/19.4 |
| | WF | US 4,164,793 | 8/21/1979 | Swanson | 3/1.91 |
| | WG | US 4,213,816 | 7/22/1980 | Morris | 156/245 |
| | WH | US 4,280,231 | 7/28/1981 | Swanson | 3/1.91 |
| | WI | US 4,344,193 | 8/17/1982 | Kenny | 3/1.911 |
| | WJ | US 4,368,040 | 1/11/1983 | Weissman et al. | 433/36 |
| | WK | US 4,822,365 | 4/1/1989 | Walker et al. | 128/898 |
| | WL | US 4,872,452 | 10/10/1989 | Alexson | 128/92 |
| | WM | US 4,944,757 | 7/31/1990 | Martinez et al. | 623/20 |
| | WN | US 5,108,452 | 4/28/1992 | Fallin | 623/23 |
| | WO | US 5,123,927 | 6/23/1992 | Duncan et al. | 623/20 |
| | WP | US 5,150,304 | 9/1/1992 | Berchem et al. | 700/182 |
| | WQ | US 5,162,430 | 11/10/1992 | Rhee et al. | 525/54.1 |
| | WR | US 5,245,282 | 9/14/1993 | Mugler, III et al. | 324/309 |
| | WS | US 5,288,797 | 2/22/1994 | Khalil et al. | 524/872 |
| | WT | US 5,306,307 | 4/26/1994 | Senter et al. | 623/17 |
| | WU | US 5,326,365 | 7/5/1994 | Alvine | 623/21 |
| | WV | US 5,423,828 | 6/13/1995 | Benson | 606/102 |
| | WW | US 5,448,489 | 9/1/1995 | Reuben | 700/163 |
| | WX | US 5,478,739 | 12/26/1995 | Slivka et al. | 435/240.23 |
| | WY | US 5,480,430 | 1/12/1996 | Carlisle et al. | 623/8 |
| | WZ | US 5,523,843 | 6/4/1996 | Yamane et al. | 356/363 |

(Information Disclosure Statement--page 3 of 9)

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /JF/

Applicants: Alexander et al. Attorney Docket: 3104/105
Serial No: 09/882,363 Art Group Unit: 3736
Date Filed: July 15, 2001 Examiner Name: Foreman, Jonathan
Invention: Assessing the Condition of a Joint and Preventing Damage

**LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT**

| U.S. PATENT DOCUMENTS | | | | | |
|------------------------------|-----------------------------|----------------------------|-------------------|--------------------|-----------------------|
| Examiner Initials | Reference Number | Document Number | Issue Date | Inventor | Class/Subclass |
| | XA | US 5,560,096 | 10/1/1996 | Stephens | 29/558 |
| | XB | US 5,571,191 | 11/5/1996 | Fitz | 623/17 |
| | XC | US 5,609,640 | 3/1/1997 | Johnson | 623/20.2 |
| | XD | US 5,683,468 | 11/4/1997 | Pappas | 623/20 |
| | XE | US 5,684,562 | 11/4/1997 | Fujieda | 351/212 |
| | XF | US 5,690,635 | 11/27/1997 | Matsen, III et al. | 606/88 |
| | XG | US 5,759,205 | 6/2/1998 | Valentini et al. | 623/16 |
| | XH | US 5,847,804 | 12/8/1998 | Sarver et al. | 351/206 |
| | XI | US 6,057,927 | 5/2/2000 | Levesque et al. | 356/432T |
| | XJ | US 6,102,955 | 8/1/2000 | Mendes et al. | 623/20.32 |
| | XK | US 6,132,468 | 10/17/2000 | Mansmann | 623/20.16 |
| | XL | US 6,151,521 | 11/21/2000 | Guo et al. | 600/407 |
| | XM | US 6,224,632 | 5/1/2001 | Pappas et al. | 623/20.34 |
| | XN | US 6,228,116 | 5/8/2001 | Ledergerber | 623/8 |
| | XO | US 6,261,296 | 7/17/2001 | Aebi et al. | 606/90 |
| | XP | US 6,322,588 | 11/27/2001 | Ogle et al | 623/1.46 |
| | XQ | US 6,365,405 | 4/2/2002 | Salzmann et al | 435/366 |
| | XR | US 6,368,613 | 4/9/2002 | Walters et al. | 424/423 |
| | XS | US 6,373,250 | 4/16/2002 | Tsoref et al | 324/309 |
| | XT | US 6,382,028 | 5/7/2002 | Wooh et al. | 73/602 |
| | XU | US 6,482,209 | 11/19/2002 | Engh et al | 606/79 |
| | XV | US 6,500,208 | 12/31/2002 | Metzger et al. | 623/20.28 |
| | XW | US 6,514,514 | 2/4/2003 | Atkinson et al. | 424/423 |
| | XX | US 6,569,172 | 5/27/2003 | Asculai et al. | 606/151 |
| | XY | US 6,576,015 | 6/10/2003 | Geistlich et al. | 623/16.11 |
| | XZ | US 6,626,945 | 9/30/2003 | Simon et al. | 623/17.19 |
| | YA | US 6,695,848 | 2/24/2004 | Haines | 606/79 |
| | YB | US 6,772,026 | 8/3/2004 | Bradbury et al. | 700/98 |
| | YC | US 6,838,493 | 1/4/2005 | Williams et al. | 523/124 |
| | YD | US 6,841,150 | 1/11/2005 | Halvorsen et al. | 424/93.7 |
| | YE | US 6,866,668 | 3/15/2005 | Giannetti et al. | 606/99 |
| | YF | US 6,866,684 | 3/15/2005 | Fell et al. | 623/20.3 |
| | YG | US 6,911,044 | 6/28/2005 | Fell et al. | 623/14.12 |
| | YH | US 6,916,324 | 7/12/2005 | Sanford et al. | 606/87 |
| | YI | US 6,923,831 | 8/2/2005 | Fell et al. | 623/14.12 |

(Information Disclosure Statement--page 4 of 9)

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /JF/

Applicants: Alexander et al. Attorney Docket: 3104/105
 Serial No: 09/882,363 Art Group Unit: 3736
 Date Filed: July 15, 2001 Examiner Name: Foreman, Jonathan
 Invention: Assessing the Condition of a Joint and Preventing Damage

**LIST OF PATENTS AND PUBLICATIONS FOR
 APPLICANT'S SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT**

| U.S. PATENT DOCUMENTS | | | | | |
|------------------------------|-------------------------|------------------------|-------------------|------------------|-----------------------|
| Examiner Initials | Reference Number | Document Number | Issue Date | Inventor | Class/Subclass |
| | YJ | US 6,946,001 | 9/20/2005 | Sanford et al. | 623/20.33 |
| | YK | US 6,966,928 | 11/22/2005 | Fell et al. | 623/14.12 |
| | YL | US 7,104,996 | 9/12/2006 | Bonutti | 606/86 |
| | YM | US 7,105,026 | 9/12/2006 | Johnson et al. | 623/20.14 |
| | YN | US 7,174,282 | 2/6/2007 | Hollister et al. | 703/2 |
| | YO | US 7,201,755 | 4/10/2007 | Faoro et al. | 606/88 |
| | YP | US 7,344,541 | 3/18/2008 | Haines et al. | 606/88 |
| | YQ | US 7,438,685 | 10/21/2008 | Burdette et al. | 600/439 |
| | YR | US 7,520,901 | 4/21/2009 | Engh et al. | 623/20.21 |

| U.S. PATENT PUBLICATION DOCUMENTS | | | | | |
|--|-------------------------|------------------------|-------------------------|------------------|-----------------------|
| Examiner Initials | Reference Number | Document Number | Publication Date | Inventor | Class/Subclass |
| | YS | US 2002/0022884 | 2/21/2002 | Mansmann | 623/14.12 |
| | YT | US 2003/0045935 | 3/6/2003 | Angelucci et al. | 623/17.11 |
| | YU | US 2003/0112921 | 6/19/2003 | Lang et al. | 378/54 |
| | YV | US 2007/0118222 | 5/24/2007 | Lang | 623/17.12 |
| | YW | US 2007/0293868 | 12/20/2007 | Delfosse et al. | 606/88 |

| FOREIGN PATENT DOCUMENTS | | | | | | |
|---------------------------------|-------------------------|---------------------|---------------------------------|-------------------------|--|-----------------------|
| Examiner Initials | Reference Number | Country Code | Document Number | Publication Date | Patentee or Applicant | Class/Subclass |
| | YX | DE | DE 20303498 | 8/7/2003 | in German | A61B 17/15 |
| | YY | DE | DE 20303498 English Abstract | 8/7/2003 | Aesculap AG & Co KG | A61B 17/15 |
| | YZ | DE | DE 2306552 | 8/14/1974 | Friedrichsfeld GmbH | A61F 1/00 |
| | ZA | GB | GB 1451283 | 9/29/1976 | Friedrichsfeld GmbH | A61F 1/24 |
| | ZB | JP | 11-19104 | 1/26/1999 | in Japanese | A61F 2/28 |
| | ZC | JP | 11-19104 English Abstract | 1/26/1999 | Itokazu Kazumasa Asahi Optical Co Ltd. | A61F 2/28 |

(Information Disclosure Statement--page 5 of 9)

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /JF/

Applicants: Alexander et al. Attorney Docket: 3104/105
Serial No: 09/882,363 Art Group Unit: 3736
Date Filed: July 15, 2001 Examiner Name: Foreman, Jonathan
Invention: Assessing the Condition of a Joint and Preventing Damage

**LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT**

| FOREIGN PATENT DOCUMENTS | | | | | | |
|---------------------------------|-------------------------|---------------------|-------------------------------|-------------------------|------------------------------|-----------------------|
| Examiner Initials | Reference Number | Country Code | Document Number | Publication Date | Patentee or Applicant | Class/Subclass |
| | ZD | JP | 11-276510 | 10/12/1999 | in Japanese | A61F 2/28 |
| | ZE | JP | 11-276510 English Abstract | 10/12/1999 | Kyocera Corp. | A61F 2/28 |
| | ZF | JP | 61-247448 | 11/4/1986 | in Japanese | A61F 2/30 |
| | ZG | JP | 61-247448 English Abstract | 11/4/1986 | Nippon Oil Corporation | A61F 2/30 |
| | ZH | JP | 7-236648 | 9/12/1995 | in Japanese | A61F 2/28 |
| | ZI | JP | 7-236648 English Abstract | 9/13/1995 | Sankyo Seiki Mfg. Co. Ltd. | A61F 2/28 |
| | ZJ | WO | WO 97/027885 | 8/7/1997 | Lee | A61L 27/00 |
| | ZK | WO | WO 99/008598 | 2/25/1999 | Mendlein et al | A61B 8/00 |
| | ZL | WO | WO 00/015153 | 3/23/2000 | Mansmann | A61F 2/38 |
| | ZM | WO | WO 06/058057 | 6/1/2006 | ConforMIS, Inc. | A61F 2/38 |
| | ZN | WO | WO 07/041375 | 4/12/2007 | ConforMIS, Inc. | A61F 2/38 |
| | ZO | WO | WO 07/062079 | 5/31/2007 | Lang | A61F 2/30 |
| | ZP | WO | WO 07/109641 | 9/27/2007 | ConforMIS, Inc. | A61F 2/30 |
| | ZQ | WO | WO 08/101090 | 8/21/2008 | ConforMIS, Inc. | A61F 2/38 |
| | ZR | WO | WO 09/111639 | 9/11/2009 | ConforMIS, Inc. | A61B 17/58 |
| | ZS | WO | WO 09/140294 | 11/19/2009 | ConforMIS, Inc. | A61F 2/30 |

| OTHER DOCUMENTS | | | |
|--------------------------|-------------------------|------------------|---|
| Examiner Initials | Reference Number | Author | Title of Article, Title of Journal, Volume Number, Page Numbers, Date |
| | ZT | Argenson et al. | "Is There a Place for Patellofemoral Arthroplasty?," Clinical Orthopaedics and Related Research No. 321, Pp. 162-167 (1995) |
| | ZU | Billet, Philippe | French Version - "Gliding Knee Prostheses – Analysis of Mechanical Failures", Thesis, Medical School of Marseilles, 1982, 64 pages |
| | ZV | Billet, Philippe | Translated Version - "Gliding Knee Prostheses – Analysis of Mechanical Failures", Thesis, Medical School of Marseilles, 1982, 64 pages |
| | ZW | Lu et al. | "In vitro degradation of porous poly(L-lactic acid) foams", Biomaterials, 21(15):1595-1605, August, 2000 |

(Information Disclosure Statement--page 6 of 9)

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /JF/

Applicants: Alexander et al. Attorney Docket: 3104/105
 Serial No: 09/882,363 Art Group Unit: 3736
 Date Filed: July 15, 2001 Examiner Name: Foreman, Jonathan
 Invention: Assessing the Condition of a Joint and Preventing Damage

**LIST OF PATENTS AND PUBLICATIONS FOR
 APPLICANT'S SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT**

| OTHER DOCUMENTS | | | |
|--------------------------|-------------------------|-----------------|--|
| Examiner Initials | Reference Number | Author | Title of Article, Title of Journal, Volume Number, Page Numbers, Date |
| | ZX | Marler et al. | "Soft-Tissue Augmentation with Injectable Alginate and Syngeneic Fibroblasts", Plastic & Reconstructive Surgery, 105(6):2049-2058, May, 2000 |
| | ZY | Radermacher, K. | German Version: "Computer-Assisted Planning and Execution of Orthopedic Surgery Using Individual Surgical Templates," Helmholtz Institute of Biomedical Technology (May 18, 1999) |
| | ZZ | Stout et al. | "X-RAY Structure Determination: A Practical Guide", 2nd Ed. Editors Stout and Jensen, 1989, John Wiley & Sons, Title page and Table of Contents pgs. Only (ISBN 0471607118) |
| | AAA | Wiese et al. | "Biomaterial properties and biocompatibility in cell culture of a novel self-inflating hydrogel tissue expander", J. Biomedical Materials Research Part A, 54(2):179-188, November, 2000 |
| | AAB | Yusof et al. | "Preparation and characterization of chitin beads as a wound dressing precursor", J. Biomedical Materials Research Part A, 54(1):59-68, October, 2000 |
| | AAC | Zimmer, Inc. | "There's a New Addition to the Flex Family! The Zimmer® Unicompartmental Knee System", Pp. 1-8 (2004) |

Examiner Signature: /Jonathan Foreman/
 Date Considered: 09/11/2010

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation *if not* in conformance and not considered. Include copy of this form with next communication to applicant.